

# MOTORISED UST PROJECTOR PLATFORM

**MP02/MP02 PLUS/MP03 PRO**



## Easy to Install

The fixing bracket can be installed upward or downward. It can be fixed on your projector cabinet or wall for maximum installation flexibility.




## Control With Smartphone

The MaxLight Motorised UST platform is Bluetooth-enabled. By downloading the controller app on your iPhone/Android phone, all functions, including travel distance control and firmware update, can be managed with a few taps on your smartphone.



## Max Payload Up to 30KG

Maxlight motorised UST platform supports a payload of up to 30kg which means they are compatible with all home cinema UST projectors in today's market.



## Sturdy and Reliable


Maxlight UST projector platforms are finished in a full aluminium alloy body. A 5-year manufacturer warranty is provided as standard.

## Quiet

The super silent motor produces less than 30dB while the platform operates.


## Synchronised

The platform is fully synchronised with your UST projector through its patented controller unit. When the projector is switched on, the platform will open automatically and vice versa.




# Specifications

## MP02 - 480mm Width with 610mm travel distance




<b>EAN Code</b>	5060885990174	<b>Max Payload:</b>	30KG
<b>Platform Size (closed)</b>	480*380*55mm	<b>Packaging Size:</b>	605*425*95mm
<b>Platform Size (fully extended)</b>	480*610*55mm	<b>Gross Weight:</b>	10.3KG
<b>Power Consumption:</b>	10W	<b>Net Weight:</b>	8.5KG
<b>Operating Noise Level:</b>	≤ 30dB	<b>Material:</b>	Aluminium alloy

## MP02 Plus - 600mm Width with 610mm travel distance



<b>EAN Code</b>	5060885990181	<b>Max Payload:</b>	30KG
<b>Platform Size (closed)</b>	600*380*53.5mm	<b>Packaging Size:</b>	725*425*95mm
<b>Platform Size (fully extended)</b>	600*610*55mm	<b>Gross Weight:</b>	10.5KG
<b>Power Consumption:</b>	10W	<b>Net Weight:</b>	9.13KG
<b>Operating Noise Level:</b>	≤ 30dB	<b>Material:</b>	Aluminium alloy

## MP03 Pro - 600mm Width with 800mm travel distance



<b>EAN Code</b>	5060885990198	<b>Max Payload:</b>	30KG
<b>Platform Size (closed)</b>	600*380*57.5mm	<b>Packaging Size:</b>	725*425*95mm
<b>Platform Size (fully extended)</b>	600*800*57.5mm	<b>Gross Weight:</b>	14.5KG
<b>Power Consumption:</b>	10W	<b>Net Weight:</b>	12.65KG
<b>Operating Noise Level:</b>	≤ 30dB	<b>Material:</b>	Aluminium alloy